

**SD** One X

24" 36" 44"

COMPACT  
FLEXIBLE  
SCAN UP TO E/A0



**ALL NEW!**

## COMPACT LARGE FORMAT SCANNER: FASTER, SMARTER, FULLY EQUIPPED



**FADGI compliance.** Together with Nextimage 7, SD One X exceeds FADGI 3-star compliance.

**Exceptional value in a compact design**

SD One X delivers speed, flexibility, and outstanding value in a lightweight 24", 36" or 44" format. User-friendly, with an integrated control panel for simple operation.

**Efficient and cost-effective**

An essential office scanner at a highly competitive price. Handle large-format maps, engineering, and construction drawings in-house to reduce costs, save time, and free up space.

**Copy, share and collaborate**

Designed for simplicity and precision, SD One X ensures reliable results, even on your most demanding projects.

**Versatile document capture**

Digitize architectural, engineering, and construction documents directly to your project folders in standard formats using Nextimage 7.

Powered by X-Rite®  
The ICC color profile in Nextimage 7 is powered by X-Rite®.

**Full color**  
SD One X supports full color scanning.

**All popular file formats**  
Supports all popular scan file formats – like PDF, TIFF and JPEG.

**Green**  
Energy Star® certified device.

**Need to move the scanner about?**  
Don't worry, SD One X is light enough for one person to carry.

**LIGHTWEIGHT AND AFFORDABLE**

**SEE MORE:** [contex.com/sdonex](http://contex.com/sdonex)

 **contex**®  
WHEN IMAGING MATTERS

# SD One X SERIES

	SD ONE X 24	SD ONE X 36	SD ONE X 44
<b>Optimized for</b>		<b>Convenience (occasional use)</b>	
Maximum scan width	24 inches (610 mm)	36 inches (914 mm)	44 inches (1118 mm)
Maximum media width	26.6 inches (676 mm)	39.9 inches (1014 mm)	47.2 inches (1200 mm)
<b>SCAN SPEED<sup>1</sup> (INCH/SEC) At maximum scan width of scanner</b>			
200 dpi RGB color		4 ips	
200 dpi grayscale/monochrome		8 ips	
<b>OTHER SPECIFICATIONS</b>			
Optical resolution		600 dpi	
Maximum resolution		9600 dpi <sup>2</sup> (interpolated)	
CIS technology		Contex CleanScan CIS with dual-sided LED lighting	
Total number of pixels	32400 pixels	54000 pixels	64800 pixels
Contex CFR <sup>3</sup>		Yes	
Maximum media thickness		0.03 inch/0.75 mm	
Accuracy		0.1% +/- 1 pixel	
Data capture		48-bit color, 16-bit grayscale	
Data output		Up to <sup>2</sup> 48-bit color, 16-bit grayscale	
Color space		Adobe RGB, Device RGB, sRGB	
Connectivity		USB 3.0 with xDTR3	
Operating system		Windows 11 64-bit, Windows Server 2025 Standard Edition	
Included software <sup>4</sup>		Nextimage 7 trial (incl. TWAIN driver, excl. licence)	
Optional software <sup>4</sup>		Nextimage Scan & Archive, Nextimage Repro	
File formats	TIF, JPG, PDF, PDF/A, DWF, CALS, BMP, JPEG-2000(JP2), JPEG2000 Extended (JPX), TIF-G3, TIF-G4 and others		
Power consumption (Ready/Power save/Scanning)	5.5W / 0.5W / 14W (external power supply), ENERGY STAR <sup>®</sup> Certified		
Power supply	100 V / 230 V / 240 V, 60/50 Hz		
Weight and dimensions (LxWxH)	20.9 lbs. (9.5 kg) 32.4x9.1x4.9 inches (823x230x124 mm)	28.4 lbs. (12.9 kg) 45.7x9.1x4.9 inches (1162x230x124 mm)	32.2 lbs. (14.6 kg) 53.1x9.1x4.9 inches (1348x230x124 mm)
Optional scanner stands	Low stand, height: 31.2 inches (793 mm) High stand, height: 41.1 inches (1043 mm)		Low stand, height: 33.1 inches (841 mm) High stand, height: 48 inches (1220 mm)
<b>CERTIFICATION AND WARRANTY</b>			
Safety	IEC 62368-1. Certificates: cUL (USA and Canada), CE (Europe), CCC (China), EAC (Russia, Kazakhstan, Belarus)		
Electro Magnetic Compatibility (EMC)	Compliant with Class A requirements, including FCC rules (USA), ICES (Canada), EMC Directive (EU), CCC (China), VCCI (Japan), EAC (Russia, Kazakhstan, Belarus)		
Environmental	ENERGY STAR <sup>®</sup> Certified, WEEE (EU), RoHS (EU) and REACH (EU)		
Country of Origin	Designed and engineered in Denmark. Manufactured in China		
Warranty	2-year warranty and fast, easy parts replacement		
In the box	Scanner (24", 36" or 44" model), 2 m USB cable, external power supply, TWAIN driver and installation software, and user guides in PDF on USB, installation guide, calibration poster, calibration sheet and cleaning cloth		

1. Scanning speeds based on 24" wide document. Contex recommends Intel Core i5, AMD Ryzen 5 5500, or better 64-bit processors, 16 GB RAM and SSD SATA drive, min. USB 3.0 or Gigabit Ethernet.

2. Requires optional Nextimage 7 software

3. Color Fringe Removal (CFR) is an advanced Contex patented filtering technology designed to remove the fringes inherent in CIS strobing scanning devices

4. Contex applications create industry standard raster file formats which can be used in any CAD or GIS application

All trademarks remain the property of their respective holders, and are used only to directly describe the product being provided. Their use in no way indicates any relationship between Contex and the trademarks holders.

## Scan, enhance, file and share with Contex SD One X large format scanner



Improve your originals  
SD One X is a fully featured scanner. Pair it with Nextimage 7 for the complete scanning solution.



Flexible control panel  
Scanner operation is easy with the intuitive SD One X control panel.

HP ready Océ ready EPSON ready Canon ready

Contex solutions are compatible with all leading large-format printers. See the full list at [contex.com/nextimage-supported-printers](https://contex.com/nextimage-supported-printers)



**excel**  
ENVIROTECH RESOURCES  
S D N. B H D.  
200001017467 (520074-W)

SOLE Distributor in MALAYSIA & SEA:  
EXCEL ENVIROTECH RESOURCES SDN BHD  
UNIT A717, LEVEL 7, BLOCK A KELANA SQUARE, NO. 17 JALAN SS 7/26,  
KELANA JAYA, 47301 PETALING JAYA SELANGOR

EMAIL: [sales@excel-envirotech.com](mailto:sales@excel-envirotech.com)

TEL: 03-7882 9333 / 03-7887 6868



+6018-388 6666

